



TRACE ANALYSIS OF CISTERN WATER IN THE USVI

Stanley Latesky, PhD

Department of Chemical and Physical Sciences




University of the Virgin Islands

2 John Brewers Bay

St. Thomas, USVI

- The quality of cistern water in the USVI is a major concern
- Water samples were collected from St. Thomas, St. John, and Water Island
- Anion analysis was accomplished using a Metrohm 850 IC
- Metal ion analysis was accomplished using a Varian ICPMS
- 18.1 M Ω water (Barnstead Nanopure) was used for preparing standards and samples
- IC standards were purchased from Metrohm
- Ultima grade nitric acid in Teflon was purchased from Fisher Scientific
- All solutions were prepared using Nalgene plastic volumetric flasks





- **Water samples were digested (nitric acid and a Mars CEM microwave) to remove any organic material**
- **Samples were analyzed for Al, Sb, Cd, Cu, Ca, Cr, Co, Fe, Pb, Mg, Mn, Ni, K, Na, Tl, Sn, V, Zn, and U**
- **A separate analysis for As using the CRI (hydrogen gas) in order to account for any interfering species**
- **The cation analysis showed that the samples contained very small amounts (sub-ppb) of metal ions. A few metals that were found in higher amounts (still below 2000 ppb) were Al, Zn, and Cu.**



Funding

SEAGEP

USGS

UVI WRRRI

NSF UVI EPSCoR

NSF HBCU UP

Instrumentation was purchased using finding provided by the US Department of Education Title III HBCU Program.

UVI Students

Stella Jarvis, Ophelia Wadsworth, Cieran Philip, Randal Thompson, Jonathan Donnell, Iverissa Armstrong, Sanlin Robinson, Emilio Edwards, and Nailah Elliot